
# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# HOGANSVILLE NURSERIES

HOGANSVILLE, GEORGIA

#### PRICE LIST FALL 1922-1923

GUARANTEE: While we exercise every care to see that our products are handled in a manner that will keep them fresh and alive, we cannot guarantee that they will live or grow after they leave our hands. Any plant which proves to be something other than what it is sold for, will be replaced; but in no case a greater price be allowed for any plant replaced than originally paid.

TERMS: Our terms are cash, but to those who expect to offer us considerable business, we would be pleased to sell on 30 days credit, provided they can satisfy us that their bills will be paid promptly at that time.

### **TREES**

Acacia julibrissin—Mimosa; pink flowers; low spreading top\$ .75 \$1.00 \$1.50 \$ \$  Acer Dasycarpum—White Maple—A fast growing and very
Acacia julibrissin—Mimosa; pink flowers; low spreading top., \$ .75 \$1.00 \$1.50 \$
beautiful tree
foliage
best for street planting
grown
Betula alba—White Birch—Attractive foliage; white bark75 1.00 2.00 Catalpa Bungei—2 year heads, \$1.50; 3 year heads, 3.00
Umbrella Tree—Small tree with low round head
Celtis Mississippiensis—Southern Hackberry—A very graceful
and desirable tree
flowers in early spring.  Cercis canadensis—Red Bud—A native tree of great beauty in
early spring; branches being covered with red flowers.  This tree needs no introduction, as it grows naturally all .75 1.00 1.25 2.00 over the country.
Cornus florida—White Dogwood—Native variety75 1.25 1.75
Cornus florida rubru—Red Dogwood—Same as the native white Dogwood, except that the flowers are red 3.00 5.00
Crategus oxycantha—English Hawthorn—A true Hawthorn of England, which is known everywhere
Liriodendron tulipifera—Tulip Poplar—A native tree, which should be planted more than it is. Fine for street planting 100 125 175 200
Magnolia grandiflora—Southern Evergreen Magnolia, 2-3 \$1.25; 3-4, \$1.50.
Magnolia Soulangeana—Chinese Pink—Large pink flowers, which expand before the foliage in early spring—82.50 to \$4.50.
Magnolia purpurea—Nice plants—Purple flowers, which ap-
pear throughout the spring and summer, \$3.00 each.  Malus coronaria—Wild Crab-Apple—A native tree of great
Malus Ioensis Bechteli—Bechteli's Flowering Crab—3 vr
size, \$1.50 each—A double flowering crab resembling a Paul Neyron Rose
Malus spectabilis—3 year size, 60 cents—Chinese Flowering  Crab—A handsome and early flowering variety.
Melia az. umbraculiformis—Umbrella China—A low tree of spreading habit

#### TREES

		SIZE	IN FI	EET	
Platanus occidentalis—Sycamore—A very hardy tree of great adaptability—Symmetrical, and one of the best trees for quick results	4-5	6-8		10-12	12-14
Populus fastigiata—Lombardy Poplar—A true Italian poplar, growing very straight and symmetrical. Fine for screens		.19	1.00	1.50	2.50
and formal effects		.75	1.00	1.50	2.70
Prunus persica flore plena—Double Flowering Peach—Double flowers in early spring. Very conspicuous	.75				
Prunus pissardi—Purple-Leaved Plum—The purple foliage of this tree makes it very desirable for backgrounds and groups	.75				
Quercus alba—White Oak—A very beautiful and symmetrical	.10				
tree for street ,as well as lawn planting		1.00	1.50	2.50	4 0 0
Quercus aquatica-Water Oak-The Water Oak of the South,					
too well known for description.			1.00	2.00	4.00
Quercus coccineus—Scarlet Oak—A very beautiful tree, especially in autumn, the leaves turning to a brilliant scarlet		1 00	1 50	2.50	4 0 0
Ouercus palustris—Pin Oak—Very symmetrical and desirable		1.00	1.50	2.50	4 00
tree for both lawn and street planting; slightly drooping		1.25	1.75	2.50	4.00
Quercus phellos-Willow Oak-Leaves very narrow, resem-					
bling a willow leaf		1.25	2.00	4.00	
Quercus sempervirens—Live Oak—A Live Oak of the lower South, but succeeds well in Georgia, Alabama and the low-					
er Souther South		1.00	2.00	3.00	
Rhamnus Caroliniana-Buckthorn. A small tree with red fruit		1.00			
which afterwards turns black, remaining on the stems until					
after frost	.75	1.50			
Salix babylonica—Weeping Willow—One of the best Weeping Willows		.75	1.25	1.75	2 5 0
Ulmus americana—American Elm—The fastest growing, and		.10	1.20	1.(0)	2 00
one of the most desirable of all Elms. Especialy recom-					
mended for street planting	.75	1.25	2.00	2.50	

## **DECIDUOUS SHRUBS**

(Those Losing Their Foliage During Winter)

			IN FE		_
	1/2 -2	2-3	3-4	4-5	5-
Acer Japonica—Most all varieties, nice plants from \$2.50 to					
\$8.00 each. Small trees with colored foliage.					
Althea—Hibiscus (Rose of Sharon)					
—Boule de feu—Double Red.					
-Jeanne d'Arc-Double White.	•				
-Paeoniflorus-Double Rosy Purple.		.50	.75	1.00	
-Totus alubus-Single White.					
-Mehanni-Variegated leaf; dwarf, purple flowers.					
-Violet clare-Double Purple.					
Azalea calendulacea A native plant of great beauty. The					
	1.00	2.00			
Berberis Thumbergi—Thunberg's Barberry—Foliage assuming					
tones of orange, violet and crimson. Berries red, borne in great profusion throughout the winter	.50	.75			
(Special prices on Barberry in hundred lots.)	.00	.10			
Berberis illicifolia—Holly Leaf Barberry—Desirable variety					
for shady situations. The Holly-like leaves turn purple in					
<b>4</b>	.50	.75			
Buddleia Lindeyana-One of the hardiest of the Butterfly	.00	. 10			
plants. Flowers violet purple throughout the summer		.50	.75	1.00	
Buddleia var. Veitchiana—Butterfly Bush of Summer Lilac—					
Long racemes of purple flowers throughout the entire					
summer. Very desirable for cutting purposes		.50	.60	.75	
Callicarpa americana—A desirable native plant, with berries					
borne in great clusters, which are retained until after frost		.75	1.00		
Calycanthus florida—Sweet Shrub		.50	.60	.75	
violet blue flowers, blooming in the late summer	F 0	7.5			
Cercis Japonica—Dwarf Judas Tree—Dwarf Red Bud. Red	.50	.75			
flowers lining the stems in early spring		.75	1.00		
		.10	1.00		

We are right on the Atlanta-Montgomery Highway; just a nice drive on a beautiful road from Atlanta.

## **SHRUBS**

		-SIZE	IN FE	ET	
Chilopsis Linearis—Flowering Willow—Purple flowers in sum-	$1\frac{1}{2} - 2$	2-3	3-4 .75	$\frac{4-5}{1.00}$	5 6
mer Corcho: us Japonica fl. pl.—Double Kerria—Yellow flowers on green stems in early spring and summer		.75	1.00	1.00	
Corchorus Japonica—Single Kerria—Single yellow flowers in early spring and summer.		.75	1.00		
Clethra alnifolia—Sweet Pepper Bush—Dwarf shrub with creamy white flowers. Will thrive in partial shade	.50	.60			
Cydonia japonica—Japanese Quince—Flowers before foliage in early spring	.50	.60			
Cystisus scoparius—Scotch Broom—Yellow flowers in great profusion in spring; stems very slender and graceful		.50	.75		
Deutzia gracilis—Dwarf, double white flowers appear in early spring; desirable for partial shade		.50	.60		
Deutzia Lemone:—Larger than the above variety, attaining a height of about three feet	.50	.60			
Deutzia—Pride of Rochester—A tall grower with double white flowers		.50	.60	.75	1.00
Deutzia crenada fl. pl.—Double Flowering Deutzia—A tall grower. Flowers white, the outer row of petals being rose-					
purple		.50	.60	.75	1.00
white flowers in the early spring. Very pretty and desirable Euonymous Americana—Strawberry Bush—A native shrub		.50	.60	.75	1.00
with slender green branches. Fruit scarlet, which appears in late summer makes the plant very attractive		.50	.60	.75	
riety, which is very vigorous and hardy. Yellow flowers in early spring		.50	.60	.75	.85
Forsythia suspensa—Drooping Golden Bell—A variety of Forsythia with drooping branches. Yellow flowers in early		.50	.60	.75	.85
spring Forsythia virridissima—Common Golden Bell—One of the best		.50	.60	.75	.85
Forsythias for the South. Yellow flowers in early spring.  Hydrangea arborescens—Wild Hydrangea—A native variety					
with small, but numerous flower heads in midsummer. Very desirable for wild gardens		.75			
Hydrangea arborescens grandiflora—Everblooming—Commonly called the Everblooming Hydrangea, as it blooms from June to August—White flowers; very hardy	.50	.75			
Hydrangea ctaksa—Large pink flowers in midsummer. This variety is not absolutely hardy without some protection	.75	1.50			
Hydrangea quercifolia—Oak Leaf Hydrangea—A native plant of great merit. Flowers white; foliage crimson in fail and	t	1.00			
is retained until after frost		1.00			
iest of all hydrangeas, and possibly has the largest flower heads. Flowers white	.50	.60	.75		
Hypericum Moserianum—2 years, heavy, 50c each. Single yellow flowers in the early spring, and throughout the					
summer. Dwarf grower and best suited for partially shaded situations	-				
Hypericum Patulum—St. John's Wort—A tall growing variety, which flowers throughout the entire season. One of	f				
the best of all the Hypericums. Single yellow flowers  Jamine nudiflorium—Naked Jasmine—Christmas Jasmine					
Flowers appear in midwinter on green stems	f	.60			
upright growth with yellow flowers in midsummer  Jasmine officinalis—White—A dwarf shrub or vine with slen	-	.60			
der green branches, and star-like white flowers in midsum mer Lagerstroemia indica—Crepe Myrtle—Pink, white, crimsol	50	.75			
and purple—Crepe Myrtle is too well known to need and further description. We are able to supply above colors.	y	.50	.75	1.00	1.50
Lespedeza bicolor—Shrubbery Bush Clover—Flowers purple in late summer	·,	.50	•••	1.00	2
Ligustrum ibota regelianum—Regel's Privet—A form of Priv et with spreading, often horizontal branches, making it	-				
very attractive plant for massing with other shrubs			.50		
noneysuckle, flowers similar to Woodbine. This plant flow ers continuously all summer	-				
Lonicera fragrantissima—Early Honeysuckle—Creamy wait flowers in early spring. Foliage remains on plants nearly	e				
all winter  Lonicera Morrowi—Morrow's Honeysuckle—Large shrub wit	h	.50	.60	.75	1.00
white flowers, changing to yellow. The bright red berrie make this plant very attractive	s 	.50	.75	1.00	
ers yellow, and fruit reddish-orange		.50	.75	1.00	

# **SHRUBS**

Philadelphus coronarius—Sweet scented Mock Orange			-SIZE	IN FE	ET	_
Philadelphus grandiflora—A tail shrub with single white lowers  Philadelphus watesthen—Dwarf Mock Orange—Very desirable dwarf variety, single white flowers.  Philadelphus Mont Blanc—Possibly one of the best dwarf Mock Oranges  Prunus Japonica—Plowering Almonts—Plowers appear  Prunus Japonica—Plowering Almonts—Plowers appear  (We can supply this in either white or pink flowering varieties).  Prunica gratum—Pomegranate—Red Plower—Crimson flowers followed by the fruit in tail makes this one of the most de- flowed by the fruit in tail makes this one of the most de- flowed by the fruit in tail makes this one of the most de- flowed by the fruit in tail makes this one of the most de- flowed by the fruit in tail makes this one of the most de- flowed by the fruit in tail makes this one of the most de- flowed by the fruit in tail makes this one of the most de- flowed by the fruit in tail makes this one of the most de- flowed by the fruit in tail makes this one of the most de- flowed by the fruit in tail makes this one of the most de- flowed by the fruit in tail makes this one of the ward in early spring followed by shining black berries, which are very pretty  Rhus cotinus—Purple Fringe—A large shub, or small tree, are very bright for the grades and the same show, resembling purple smoke at a distance.  Rhus aromatic—Aromatic Sumac—Sweet scented Sumac. Splendid for rock gardens  Splendid for rock gardens  Splendid for rock gardens  Rosa Rosses—Hardy Climbers and Rugosa varieties. The fol- lowing varieties are for landscape plantings and are not intended for cut flowers:  Rosa rugosa, 2 year, 56c; 3 year, 57c;  Wrinkled Japanese Rosa  The following are hybrids of the Rugosa varieties, which have been selected for their large flowers, continuous bloomer  Blanc Double de Coubert, 2 year, 75c.  —Anosa Laevigata, 2 year, 75c.  —Anosa Laevigata, 2 year, 56c.  —Cherokee. We are able to supply this in both pink white varieties, er, 50		1 1/2 -2	2-3	3-4	4-5	5-6
Philadelphus vanisches—Dwarf Mock Orange—Very desirable Philadelphus Mont Blanc—Possibly one of the best dwarf Mock Oranges Philadelphus Lemonei—Hybrid Mock Orange—Dwarf grower. Prunus Japonica—Flowering Almonds—Flowers appear in early spring Supply this in either white or pink flowering varieties Punica gratum—Pomegranate—Red Flower—Orimson flowers followed by the fruit in fall makes this one of the most de- sirable oranmental plants for the lower South Rhodotyphus pring followed by shining black beeries, which are very pretty Rhus cotinus—Purple Fringe—A large shrub, or small tree, flowering in late summer. The flowers are very shows, resembling purple smoke a distant. scented Suma.  Splendid for rock gardens Robina hispida rosea—Moss Locust—A small shrub with rose colored flowers. Will thrive in partial shade. Rosa, Rosea—Hardy Climbers and Rugosa varieties. The fol- lowing varieties are for landscape plantings and are not Rosa rugosa, 2 year, 50e; 3 year, 52e. Wrinkled Japanese Rose. The attractive for shrubbery planting Soa rugosa, 2 year, 50e; 3 year, 75e. —Honey Zempha, 2 year, 75e. —Honey Zempha, 2 year, 75e. —Rose laneiga, 2 year, 50e; 3 years, 75e. —Honey Zembha, 2 year, 75e. —Rose Laneiga, 2 year, 50e; 3 years, 75e. —Wenthina, 2 year, 50e; 3 years, 75e. —Mororial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very Spirca prunifolia—Bridal Wreath—Double white flowers ap- pearing profusely along the stems, covering the plant completely in early spring Spirca Van Houtte—One of the very best white flowers ap- pearing profusely along the stems, covering the plant completely in early spring Spirca Van Houtte—One of the very best white flowers ap- pearing profusely along the stems, covering the plant completely in early spring Spirca Van Houtte—One of the very best white flowers almost continuously throughout the summer. Flowers purplish- red, produced on long spikes, Very useful as a cut flower, Spirca Billardi—A hardy upright shrub, which flowers, spirca	Philadalphus grandiflora—A tall shrup with single white now-					
dwarf variety; single white flowers.  Mock Oranges — Hisherd Mock Orange—Dwarf grower.  Mock Oranges — Hybrid Mock Orange—Dwarf grower.  Prunus Japonica—Plowering Almonds—Flowers appear in early spring (We can supply this in either white or pink flowering varieties).  Prunus Japonica—Plowering Almonds—Flowers appear in early spring (We can supply this in either white or pink flowering varieties).  Robert Mock Orange—Overling Mock Orange—Dwarf grower.  Prunus Japonica—Plowering Almonds—Flowers appear in early spring of the work of the most destrable orangential plants for the lower South orange or the most destrable orangential plants for the lower South orange orangential plants for the flowers in early spring orangential plants for the flowers are very showy, resembling purple smoke at a distance.  Rhus aromatic—Aromatic Sumac—Sweet scented Sumac.  Splendid for rock grades	0.77.0		.50	.00	.10	
Mock Oranges—Howering Almonds—Flowers appear in 1.75 Pranus Japonics—Flowering Almonds—Flowers appear in 1.75 (We can supply this in either white or pink flowering varieties).  Punica gratum—Pomegranate—Red Flower—Crimson flowers followed by the fruit in fall makes this one of the most desirable orange o	dworf wariety single white flowers		.75			
Prunus Japonica—Flowering Aimonds—Flowers appear in early spring early spring we can supply this in either white or pink flowering varieties.  Followed by the fruit in fall makes this one of the most desirable ornamental plants for the lower South.  Rhodotyphus kerriodes—White Kerria—Single white flowers in early spring followed by shining black berries, which in early spring followed by shining black berries, which in early spring followed by shining black berries, which is very marging in late summer. The flowers are very showy, resembling purple smoke at a distance	Mock Oranges					
(We can supply this in either white or pink nowering varieties).  Punicatum—Pomegranata—Red Flower—Crimson flowers sirable ormamental plants for the lower South  Rhodotyphus kerriodes—White Kerria—Single white flowers in early spring followed by shining black berries, which are very pretty  Rhus cotinus—Purple Fringe—A large shrub, or small tree, flowering in late summer. The flowers are very shows, flowering in late summer. The flowers are very shows, flowering in late summer—Sweet scented Sumac.  Splendid for rock gardens  Robina hispida rosea—Moss Locust—A small shrub with rose colored flowers. Will thrive in partial shade.  Rosa. Roses—Hardy Climbers and Rugosa varieties. The following varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties are for landscape plantings and are not lowing varieties. The following are hybrids—  The following are hybrids of the Rugosa varieties, which have been selected for their large flowers, continuous blooming are hybrids—  The following are hybrids of the Rugosa varieties, which have been selected for their large flowers, splendid for massing. Flowers pink, fruit red and profuse.  —Witch are a hardy are landscape planting for covering spons, rote; 3 years, 75c.  —Roseraine, 2 year, 50c; 3 years, 75c.  —Memorial Rose. A hardy half evergreen variety suitable for covering spons, rote, produced	Prince Innonica—Flowering Almonds—Flowers appear in		.50	.60		•
Punica gratum—Pomegranate—Red Flower—Grimson flowers followed by the fruit in fall makes this one of the most desirable ornamental plants for the lower South Rhodotyphus kerriodes—White Kerria—Single white flowers in early spring followed by shining black berries, which nearly spring followed by shining black berries, which flowering in late summer. The flowers are very showy, resembling purple smoke at a distance	(We can supply this in either white or pink nowering varieties)					
Rhodotyphus kerriodes—White Kerria—Single white flowers in early spring followed by shining black berries, which are very pretty Rhus cotinus—Purple Fringe—A large shrub, or small tree, flowering in late summer. The flowers are very showy, resembling purple smoke at a distance.  Rhus aromatic—Aromatic Sumac—Sweet scented Sumac.  Splendid for rock gades on the standard of the stan	Punica gratum—Pomegranate—Red Flower—Crimson flowers followed by the fruit in fall makes this one of the most de-		=-			
Agre very pretty Rhus cotinus—Purple Fringe—A large shrub, or small tree, flowering in late summer. The flowers are very showy, the semblian profile summer. The flowers are very showy, the semblian profile Sumac—Sweet seented Sumac. Splendid for rock gardens Robina hispida rosea—Moss Locust—A small shrub with rose colored flowers. Will thrive in partial shade. Rosa. Rosea—Hardy Climbers and Rugosa varieties. The following varieties are for landscape plantings and are not intended for cut flowers: Rosa rugosa, 2 year, 50c; 3 year 75c. Wrinkled Japanese Rose. The attractive foliage and large single flowers to leve very attractive for shrubbery planting Rosa rugosa hybrids— The following are hybrids of the Rugosa varieties, which have been selected for their large flowers, continuous blooming and bright fruit. —Blanc Double de Coubert, 2 year, 75c. —Cornad F. Meyer, 2 year, 75c. —Mosa Laevigata, 2 year, 50c; 3 years, 75c. —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea Van Houtte—One of the very best white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Van Houtte—One of the very best white flowering varieties, very hardy and desirable.  Spirea Rand Hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplishgreen profusely and profile of the plant variety similar to the above  Spirea Randony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers, which are borne in large clusters in early spring.  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers, which are borne in large clusters in early spring.  Symphorocarpus valgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade.  The red	Rhodotyphus kerriodes—White Kerria—Single white flowers		.75			
Rhus aromatic—Aromatic Sumac—Sweet scented Sumac. Splendid for rock gardens	are very pretty		.50	.75		
Rhus aromatic—Aromatic Sumac—Sweet scented Sumac. Splendid for rock gardens Robina hispida rosea—Moss Locust—A small shrub with rose colored flowers.  Rosa. Roses—Hardy Climbers and Rugosa varieties. Rosa rugosa, 2 year, 50c; 3 year 75c. Wrinkled Japanese Rose. The attractive foliage and large single flowers followed by bright fruit, which is very persistent make these very attractive for shrubbery planting Rosa rugosa hybrids—  The following are hybrids of the Rugosa varieties, which have been selected for their large flowers, continuous blooming and bright fruit.  —Blanc Double de Coubert, 2 year, 75c. —Corrad F. Meyer, 2 year, 75c. —Corrad F. Meyer, 2 year, 75c. —Hansa, 2 year, 75c. —Mova Zembla, 2 year 75c. —Mova Zembla, 2 year, 75c. —Nova Zembla, 2 year, 50c; 3 years, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Witchuriana, 2 year, 50c; 3 years, 75c. —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea Van Houtte—One of the very best white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Wan Houtte—One of the very best white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Reevesiana flora plena—A double flowering varieties, which reality white—Dwarf growing early flowering variety. Flowers white followed by attractive feaths until Christmas.  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers.  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers.  Symphorocarpus valgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade.  The red berries remain on the plant throughout the late summer and fall  Syringa Chas. x—Dark illac-red lilac. Flowers single.  50 .60	flowering in late summer. The flowers are very showy,			5.0	7.5	1.00
Robina hispida rosea—Moss Locust—A small shrub with rose colored flowers. Will thrive in partial shade	Rhus aromatic—Aromatic Sumac—Sweet scented Sumac.		~ ^		.10	1.00
colored flowers. Will thrive in partial shade.  Rosa. Rosa—Hardy Climbers and Rugosa varieties. The following varieties are for landscape plantings and are not intended for cut flowers:  Rosa rugosa, 2 year, 50c; 3 year 75c.  Wrinkled Japanese Rose. The attractive foliage and large single flowers followed by bright fruit, which is very persistent make these very attractive for shrubbery planting Rosa rugosa hybrids—  The following are hybrids of the Rugosa varieties, which have been selected for their large flowers, continuous blooming and bright fruit.  —Blanc Double de Coubert, 2 year, 75c.  —Conrad F. Meyer, 2 year 75c.  —Hansa, 2 year, 75c.  —Memor G. Bruant, 2 year, 75c.  —Rosa laevigata, 2 year, 75c.  —Rosa laevigata, 2 year, 75c.  —Rosanine, 2 year, 75c.  —Rosanine, 2 year, 75c.  —Nemorial Rose. A hardy half evergreen variety suitable fragraming slopes, rockeries, etc. Flowers white, very fragraning slopes, rockeries, etc. Flowers white, very fragraning profusely along the stems, covering the plant completely in early spring  Spirea Prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Reevesiana flora plena—A double flowering varieties, very hardy and desirable.  Spirea Reevesiana flora plena—A double flowering varieties, very hardy and desirable.  Spirea Bilardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplish-red, produced on long spikes. Very useful as a cut flower spire a thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters in early spring.  Symphorocarpus valegaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade. The red berries remain on the plant throughout the late summer and fall  Syringa Chas. x.—Dark Iliac-red Iliac.	Splendid for rock gardens		.50	.75		
lowing varieties are for landscape plantings and are not intended for cut flowers:  Rosa rugosa, 2 year, 50c: 3 year 75c. Wrinkled Japanese Rose. The attractive foliage and large single flowers followed by bright fruit, which is very persistent make these very attractive for shrubbery planting Rosa rugosa hybrids—  The following are hybrids of the Rugosa varieties, which have been selected for their large flowers, continuous blooming and bright fruit.  —Blanc Double de Coubert, 2 year, 75c. —Cornad F. Meyer, 2 year 75c. —Hansa, 2 year, 75c. —Hansa, 2 year, 75c. —Rosa laevigata, 2 year, 75c. —Rosa laevigata, 2 year, 75c. —Rosa laevigata, 2 year, 75c. —Rosanine, 2 year, 75c. —Rosanine, 2 year, 50c; 3 years, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Carolina, 2 year, 50c; 3 years, 75c. An upright grower, splendid for massing. Flowers pink, fruit red and profuse. —Witchuriana, 2 year, 50c; 3 year, 75c. —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Plowers white, very for the plant completely in early spring  Spira Punnifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spira Reevesiana flora plena—A double flowering varieties, very hardy and desirable.  Spira Reevesiana flora plena—A double flowering varieties, very hardy and desirable.  Spira Bilardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplish-red, produced on long spikes. Very useful as a cut flower spire a thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters in early spring.  Symphorocarpus valegaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade. The red berries remain on the plant throughout the late summer	colored flowers. Will thrive in partial shade		.50	.75		
Wrinkled Japanese Rose. The attractive foliage and large single flowers followed by bright fruit, which is very persistent make these very attractive for shrubbery planting Rosa rugosa hybrids—  The following are hybrids of the Rugosa varieties, which have been selected for their large flowers, continuous blooming and bright fruit.  —Blanc Double de Coubert, 2 year, 75c. —Cornad F. Meyer, 2 year 75c. —Hansa, 2 year, 75c. —Meme, G. Bruant, 2 year, 75c. —Nova Zembla, 2 year, 75c. —Rosa laevigata, 2 years, 50c; 3 years, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Carolina, 2 year, 50c; 3 years, 75c. —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea Prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring  Spirea Van Houtte—One of the very best white flowering variety similar to the above  Spirea Reevesiana flora plena—A double flowering variety similar to the above  Spirea Billardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplishred, produced on long spikes. Very useful as a cut flower spire athunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers.  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade.  The red berries remain on the plant throughout the late summer and fall  Syringa Chas. x—Dark lilac-red lilac. Flowers single.  50 .75 .60	lowing varieties are for landscape plantings and are not					
single flowers followed by bright fruit, which is very persistent make these very attractive for shrubbery planting  Rosa rugosa hybrids— The following are hybrids of the Rugosa varieties, which have been selected for their large flowers, continuous blooming and bright fruit.  —Blanc Double de Coubert, 2 year, 75c. —Connad F. Meyer, 2 year 75c. —Hansa, 2 year, 75c. —Meme, G. Bruant, 2 year, 75c. —Rosa laevigata, 2 years, 50c; 3 years, 75c. —Rosa laevigata, 2 years, 50c; 3 years, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Carolina, 2 year, 50c; 3 years, 75c. —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring	Rosa rugosa, 2 year, 50c; 3 year 75c.  Wrinkled Japanese Rose. The attractive foliage and large		0			
Rosa rugosa hybrids— The following are hybrids of the Rugosa varieties, which have been selected for their large flowers, continuous blooming and bright fruit.  —Blanc Double de Coubert, 2 year, 75c. —Cornad F. Meyer, 2 year 75c. —Hansa, 2 year, 75c. —Mme. G. Bruant, 2 year, 75c. —Nova Zembla, 2 year, 75c. —Roseraine, 2 year, 75c. —Roseraine, 2 year, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Carolina, 2 year, 50c; 3 years, 75c. —Witchuriana, 2 year, 50c; 3 year, 75c. —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Van Houtte—One of the very best white flowering varieties, very hardy and desirable.  Spirea Reevesiana flora plena—A double flowering variety similar to the above  Spirea Billardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplishred, produced on long spikes. Very useful as a cut flower Spirea thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers.  Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time  Symphorocarpus racemosus—Snowberry—This is one of the best plants for covering rocky slopes, and for partial shade.  The red berries remain on the plant throughout the late summer and fall  Syringa Chas. x—Dark lilac-red lilac. Flowers single.  50	single flowers followed by bright fruit, which is very per-					
have been selected for their large flowers, continuous blooming and bright fruit.  —Blanc Double de Coubert, 2 year, 75c. —Cornad F. Meyer, 2 year 75c. —Hansa, 2 year, 75c. —Mme. G. Bruant, 2 year, 75c. —Nova Zembla, 2 year, 75c. —Roseraine, 2 year, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Carolina, 2 year, 50c; 3 years, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Carolina, 2 year, 50c; 3 years, 75c. —Witchuriana, 2 year, 50c; 3 year, 75c. —Witchuriana, 2 year, 50c; 3 years, 75c. —Witchuriana, 2 year, 75c.  Spirea Molidore, 4 had beergreen variety suitable for covering the year, 75c.  Spirea Palaulana, 2 year, 75c.  Spirea Palaulana,	Rosa rugosa hybrids—					
—Conrad F. Meyer, 2 year 75c. —Hansa, 2 year, 75c. —Mne. G. Bruant, 2 year, 75c. —Nova Zembla, 2 year, 75c. —Roseraine, 2 year, 75c. —Roseraine, 2 year, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Carolina, 2 year, 50c; 3 years, 75c. An upright grower, splendid for massing. Flowers pink, fruit red and profuse. —Witchuriana, 2 year, 50c; 3 year, 75c. —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Van Houtte—One of the very best white flowering varieties, very hardy and desirable.  Spirea Reevesiana flora plena—A double flowering variety similar to the above.  Spirea Billardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplishred, produced on long spikes. Very useful as a cut flower-spirea thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathers y green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers.  Styrax Japonica—A tall shrub with single white flowers, which are borne in large clusters in early spring.  Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade.  The red berries remain on the plant throughout the late summer and fall  Syringa Chas. X—Dark illae-red lilae. Flowers single.  750  600  755  1.00	have been selected for their large flowers, continuous bloom-					
—Hansa, 2 year, 75c. —Mowa Cambla, 2 year, 75c. —Nova Zembla, 2 year, 75c. —Rosa laevigata, 2 year, 50c; 3 years, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Carolina, 2 year, 50c; 3 years, 75c. An upright grower, splendid for massing. Flowers pink, fruit red and profuse. —Witchuriana, 2 year, 50c; 3 year, 75c. —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Van Houtte—One of the very best white flowering variety similar to the above.  Spirea Reevesiana flora plena—A double flowering variety similar to the above.  Spirea Billardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplish red, produced on long spikes. Very useful as a cut flower Spirea thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers.  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers, which are borne in large clusters in early spring.  Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade.  The red berries remain on the plant throughout the late summer and fall  Syringa Chas. X—Dark iliae-red lilae. Flowers single.  750 .60  Syringa Chas. —Dark iliae-red lilae. Flowers single.  750 .60	-Blanc Double de Coubert, 2 year, 75c.					
—Nova Zembla, 2 year, 75c. —Rosa laevigata, 2 years, 50c; 3 years, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Carolina, 2 year, 50c; 3 years, 75c. An upright grower, splendid for massing. Flowers pink, fruit red and profuse. —Witchuriana, 2 year, 50c; 3 year, 75c. —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Reevesiana flora plena—A double flowering varieties, very hardy and desirable.  Spirea Reevesiana flora plena—A double flowering variety similar to the above.  Spirea Billardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplishred, produced on long spikes. Very useful as a cut flower sing variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers.  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers.  Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade. The red berries remain on the plant throughout the late summer and fall  Syringa Chas. x.—Dark liliac-red liliac. Flowers single.  750  60  751  752  753  754  755  756  757  750  750  750  750  750	—Hansa, 2 year, 75c.					
—Rosa laevigata, 2 years, 50c; 3 years, 75c. —Cherokee. We are able to supply this in both pink and white varieties. —Carolina, 2 year, 50c; 3 years, 75c. An upright grower, splendid for massing. Flowers pink, fruit red and profuse. —Witchuriana, 2 year, 50c; 3 year, 75c. —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Van Houtte—One of the very best white flowering varieties, very hardy and desirable.  Spirea Reevesiana flora plena—A double flowering varieties, very hardy and desirable.  Spirea Billardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplish-red, produced on long spikes. Very useful as a cut flower Spirea thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers, which are borne in large clusters in early spring.  Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade. The red berries remain on the plant throughout the late summer and fall  Syringa Chas. x—Dark lilac-red lilac. Flowers single.  75 1.00	-Nova Zembla, 2 year, 75c.					
white varieties.  —Carolina, 2 year, 50c; 3 years, 75c. An upright grower, splendid for massing. Flowers pink, fruit red and profuse.  —Witchuriana, 2 year, 50c; 3 year, 75c.  —Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Van Houtte—One of the very best white flowering varieties, very hardy and desirable.  Spirea Reevesiana flora plena—A double flowering varieties, very hardy and desirable.  Spirea Billardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplish-red, produced on long spikes. Very useful as a cut flower Spirea thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers.  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers.  Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade. The red berries remain on the plant throughout the late summer and fall  Syringa Chas. x—Dark lilac-red lilac. Flowers single.  350  360  375  1.00	-Rosa laevigata, 2 years, 50c; 3 years, 75c.					
splendid for massing. Flowers pink, fruit red and profuse.  -Witchuriana, 2 year, 50c; 3 year, 75c.  -Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring.  Spirea Van Houtte—One of the very best white flowering varieties, very hardy and desirable.  Spirea Reevesiana flora plena—A double flowering variety similar to the above.  Spirea Billardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplishred, produced on long spikes. Very useful as a cut flower spirea thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers, which are borne in large clusters in early spring.  Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade. The red berries remain on the plant throughout the late summer and fall  Syringa Chas. x—Dark lilac-red lilac. Flowers single	white varieties.					
-Memorial Rose. A hardy half evergreen variety suitable for covering slopes, rockeries, etc. Flowers white, very fragrant.  Spirea prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring	splendid for massing. Flowers pink, fruit red and profuse.	,				
fragrant.  Spirea prunifolia—Bridal Wreath—Double white flowers appearing profusely along the stems, covering the plant completely in early spring  Spirea Van Houtte—One of the very best white flowering varieties, very hardy and desirable.  Spirea Reevesiana flora plena—A double flowering variety similar to the above  Spirea Billardi—A hardy upright shrub, which flowers almost continuously throughout the summer. Flowers purplish red, produced on long spikes. Very useful as a cut flower Spirea thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Watere—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers, which are borne in large clusters in early spring.  Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade. The red berries remain on the plant throughout the late summer and fall  Syringa Chas. x—Dark lilac-red lilac. Flowers single	-Memorial Rose. A hardy half evergreen variety suitable					
pearing profusely along the stems, covering the plant completely in early spring	fragrant.					
Spirea Van Houtte—One of the very best white flowering varieties, very hardy and desirable	pearing profusely along the stems, covering the plant		5.0	<i>c</i> 0	75	
Spirea Reevesiana flora plena—A double flowering variety similar to the above					.10	
similar to the above			.50	.75		
continuously throughout the summer. Flowers purplishred, produced on long spikes. Very useful as a cut flower Spirea thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers, which are borne in large clusters in early spring.  Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade. The red berries remain on the plant throughout the late summer and fall.  Syringa Chas. x—Dark lilac-red lilac. Flowers single	similar to the above		.50	.75		
Spirea thunbergi—Early White—Dwarf growing early flowering variety. Flowers white followed by attractive feathery green foliage, which remains on the plant usually until Christmas	continuously throughout the summer. Flowers purplish-		.50	.75		
ery green foliage, which remains on the plant usually until Christmas .50 .75  Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers50 .60  Styrax Japonica—A tall shrub with single white flowers, which are borne in large clusters in early spring50  Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time .50  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade. The red berries remain on the plant throughout the late summer and fall .50 .60  Syringa Chas. x—Dark lilac-red lilac. Flowers single .75 1.00	Spirea thunbergi-Early White-Dwarf growing early flower-					
Spirea Anthony Waterer—Crimson, very dwarf. A continuous bloomer of flat top clusters of crimson red flowers	ery green foliage, which remains on the plant usually		.75			
Styrax Japonica—A tall shrub with single white flowers, which are borne in large clusters in early spring	Spirea Anthony Waterer-Crimson, very dwarf. A continuous			•		
Symphorocarpus racemosus—Snowberry—An attractive shrub for shady situations, the white fruit remaining on the plant for a long time  Symphorocarpus vulgaris—Coralberry—This is one of the best plants for covering rocky slopes, and for partial shade. The red berries remain on the plant throughout the late summer and fall  Syringa Chas. x—Dark lilac-red lilac. Flowers single  .75 1.00	Styrax Japonica—A tall shrub with single white flowers,					
plant for a long time	Symphorocarpus racemosus—Snowberry—An attractive shrub	)	.00			
plants for covering rocky slopes, and for partial shade.  The red berries remain on the plant throughout the late summer and fall	plant for a long time		.50	.75	1.00	
summer and fall	plants for covering rocky slopes, and for partial shade.					
	summer and fall					

## **SHRUBS**

		ZE IN	FEET-		
	1 1/2 - 2 2 - 3	3-4	4-5	5-6	6-8
Syringa Marie Legraye—Single white lilac		.75	1.00		
Syringa Frau Dammann-Single white lilac		.75	1.00		
Syringa Ludwig Spath—Dark blue single lilac	.75	1.00			
Syringa Alphone Lavalie-Bluish-lilac, double-					
flowering	.75	1.00			
Syringa Michael Buchner—Pale lilac, double flow-					
ers	.75	1.00			
Syringa Pres. Carnot—Pale blue lilac	.75	1.00			
Syringa persica—Persian lilac. Tall shrub with					
slender branches. Flowers pale purple in late					
spring	.75	1.00			
Syringa—Lilac, Common Purple	.50	.75			
Tamarix Japonica—Japanese Tamarisk—Foliage					
bright green; flowers pink		.50	.75		
Tamarix africana—A tall fast growing variety, green foliage, pink flowers		= 0			
Tamoria Hind 1		.50	.75		
Tamarix Hispida aestivalis—One of the most de-					
sirable Tamarix, having bluish-green foliage and		50	75		
pink flowers		.50	.75		
bright red fruit, which is very persistent makes					
this one of the most attractive shrubs	.50	.60	.75		
Viburnum opulus sterilis— Common Snowball—	.00	.00	.10		
Large shrub with white flowers in early spring	.50	.60			
Viburnum plicatum—Japanese Snowball—A medium	.00	.00			
height shrub, large flowers in early spring	.50	.75			
Vitex agnus castus—Chaste Tree—A large shrub,		•••			
or small tree with bluish-purple flowers	.50	.75			
Weigelia rosea—Diervilla florida—Rose colored					
flowers in late spring, which completely cover					
the plant—Very attractive	.50	.60	.75		
Weigelia Eva Rathke—A red flowering variety,					
which does not grow quite as tall as Candida	.75	1.00			
Weigelia candida—The tallest of the Weigelias,					
white flowers	.50	.60	.75		

## **BROAD LEAF EVERGREENS**

All evergreens should be dug with a ball of earth attached, and thoroughly burlapped, in order to make transplanting safe. While this is rather expensive, at the same time we believe it worth the additional trouble, and our prices below are for plants handled in this manner.

it worth the additional trouble, and our prices below		plants $1\frac{1}{2}-2$		in this $2\frac{1}{3}$	manner.	4-5	
Abelia grandiflora—Free Flowering Abelia	.50	.75		1.50	2.00		
(This is one of the most desirable plants on ac-							
count of the free flowering quality. Small white							
flowers appear throughout the summer.)	1 00	0.00					
Aucuba japonica—Gold Dust Tree	1.00	2.00	3.00			) (	
(These plants we are able to supply in both the plain green and the variegated leaf forms.							
They are especially suited to shady situations.)							
Azalea Kamferi—Strong plants—A desirable va-							
riety of Japanese Azalea, growing larger than							
any of the Azaleas of this class. \$2.00.							
Azalea Hinodigiri—Crimson Japanese Azalea—							
Nice plants. Dwarf variety with crimson flow-							
ers, which completely clothe the plant in early							
spring. One of the very best. \$2.00.							
Azalea ameona—Purple Japanese azalea—Nice							
plants. Flowers somewhat later than the above,							
but a stronger grower. \$2.00.							
Berberis Japonica—Japanese Barberry—A very attractive broad leaf evergreen, resembling the							
Holly. Yellow flowers early spring; adapted to						-	
shady situations	1.00	2.00	3.00				
Buxus sempervirens—Boxwood—8-10 in., 40c;	1.00	2.00	5.00				
10-12-in., 75c;—unsheared plants							
Camellia thea-Tea Plant-Single orange-like flow-							
ers appearing in midwinter makes this one of the					*		
most attractive of the broad leaf evergreens		1.00	2.00				
Cerasus (prunus) caroliniana—Cherry Laurel—						,	
Small plants, 18-24 in., 50c—A small native							
evergreen tree, or large shrub; glossy green foliage							
the entire winter; used extensively for screen							
plantingsCrataegus Lalandi—Evergreen Hawthorne—A tall							
shrub or small tree, covered with white flowers							
in spring, followed by bright orange fruit, which							
is very persistent	.75	1.50	2.50	3.00			
Euonymous Japonicus-The waxy like foliage of	***	1.00	2.00	0.00			
this plant, and the bright red berries make this							
a most attractive plant for shady situations			1.00	1.50	2.00		
5							

## BROAD LEAF EVERGREENS

		CI	ZE IN	FEET-		
Euonymous Britzensis-Bright Fruited-A form of	1-1 1/2		2-2 1/2	2 1/2 - 3	3-4	4-5
Euonymous, which fruits very early, and the abundance of fruit makes it very attractive	1 1 /2	1/2 -	1.00	1.50		
Euonymous argentea—Silver Leaf Euonymous Euonymous Carrieri—Trailing—Strong plants, 50c	.50	.75	1.00	1.00		
—A trailing form suitable for shrubbery borders. Bright red fruit, which makes it very attractive.						
Eleagnus reflexa—Variegated Eleagnus—Bright green foliage, which is silver underneath, makes						
this one of the best broad leafed evergreens.  Grows rapidly, and suited for shady situations	.50	1.00	2.00	2.50	4.00	
Gardenia florida—Cape Jasmine—the old fashioned Jasmine, which is known throughout the South		1.50	2.50			
Ilex glabra—Inkberry or Wineberry. Evergreen in this locality. Black shining berries, which re-						
main all winter	.75	1.00	1.50			
stock has been transplanted and can be moved with safety		1.00	2.00	3.50	4.00	
Ilex vomitoria—A small leaf evergreen shrub or tree, covered with numerous red berries. Very						
desirable	.50					
Illicum anisatum—Anise tree—A shrub with anise- scented foliage		1.00	3.00			
Kalmia laifolia—Mountain laurel—A native laurel which grows aong the side of streams in this						
country Laurocerasus—English Laurel—A broad leaf ever-		1.50	2.00			
green, which is perfectly hardy. Very desirable						
for shrubbery massing and for background planting		1.50	2.50	3.00	4.00	
Ligustrum amurense—Amoor River Privet—Ordinarily used for hedges, being evergreen in this						
locality					.50	
Ligustrum—A tall growing variety of Japan- ese origin with variegated foliage			1.25	1.50		
Ligustrum marginatum aureum-Golden Ligustrum			1.20	1.50		
A golden leaf variety of Ligustrum, which is very attractive, and grows to considerable height			1.25	1.50	2.50	
Ligustrum Japonicum—Japanese Ligustrum—A very desirable broad leaf evergreen for screen						
and background planting. A fast growerLigustrum Napalense—Foliage smaller than Ja-		.50	.75	1.00	1.50	2.50
ponicum; not as tall grower, but more compact.						
Dark green foliage, does not turn brown in winter. The black fruit is very persistent	.75	1.50	2.50	3.00		
Ligustrum sinensis nanus—Very similar to Amurense, but is more graceful and compact		.50	.60	.75	1.00	
Ligustrum Lucidum—Very similar to Napalense, except that the foliage is somewhat larger, and					2000	
will stand more cold	.75	1.50	2.50	3.00		
trees) The Evergreen Magnolia of the South.						
Mahonia aquifolia—Holly Leaf Mahonia—A plant with prickly foliage similar to Holly, which turns						
purple in autumn. Yellow flowers in early spring.  Does well in the shade	.75	1.00	1.25			
Osmanthus fragrans—Sweet Olive—Small white, but very fragrant flowers, which appear during						
the winter. A very desirable plant for the lower South	1.50	2.50				
Pittosporum tobira-Tobira or Japanese Pittospor-	1.50	2.50				•
um—A very beautiful and compact growing evergreen. May be sheared into any shape.						
There is also a variegated foliage variety of this. Not quite hardy as far north as Atlanta	1.00	2.00				
Photina serrulata—A small shrub or small tree, the leaves show tones of green, purple and crimson						
in the springQuercus sempervirens—Live Oak (see price under			1.50	2.50	3.00	4.00
head of trees). A large tree in the lower South,						
but in more northern sections it only makes a medium sized tree. Foliage evergreen		1.00	1.50	2.00	3.00	
Rhododendron Maximum—Great Laurel—Write for prices on other varieties. A native Rhododen-				0.00	0.00	
dron of the Carolina mountains	.75	1.00	1.50	2.00	3.00	
the early spring, but the buds that form during the winter are very conspicuous, and is one of						
the most attractive parts of this plant	1.00					
50c.						

## CONIFEROUS EVERGREENS

The prices below include digging with ball, which will be securely burlapped to hold the

soil firmly around the roots.				arapped	to non	i the
Biota orientalis—(Thuya)—Chinese Arborvitae,	1-1 ½		ZE IN 1 2-2½	FEET— 2 ½ -3	9 4	
Biota orientalis—(Thuya)—Chinese Arborvitae, Pyramidal shape; tall grower; does not turn brown in winter, as some other Arborvitae	1-1 72	1.00	1.50	1.75	3-4 3.50	4-5 5.00
Biota aurea nana—Dwarf Golden, very compact, the						
best of the golden varieties	2.00	3.00		3.00	4.00	6.00
Biota filiformis—Weeping or Thread-Branched Oriental Arborvitae	.75	1.25	2.00	5.00	4.00	0.00
Biota Rosedale—Bluish-green Foliage—Suitable for boxes, urns and jardinieres	1.00	2.00	2.50			
Cedrus deodora—Deodora Cedar—Bluish green fo- liage—Grows to considerable size		1.25	2.00	3.50	5.00	7.00
Cupressus Lawsoniana Glauca—Blue Lawson's Cypress. A very symmetrical and beautiful ever-	1.00	1 775	0.50	9.00	4.00	
green Cupressus royali—Columnar shape; compact (also specimen plants)	1.00	1.75	2.50	3.00 2.00	3.00	4.00
Juniperus communis—English Juniper—A columnar					5.00	4.00
Juniperus Herbernica—Irish Juniper—Similar to	1.00	1.50	1.75	2.50	3.00	5.00
the above, but the foliage is somewhat shorter, and does not stand the sun quite as well as the						
above	.75	1.00	1.50	1.75	2.50	3.50
Juniperus oblonga—Spreading Juniper Juniperus communis aurea douglasi—Douglas' Golden Juniper—A prostrate form of Golden	1.00	1.50				
Juniper. Very desirable for partial shade	2.50	3.50				
Juniperus prostrate—Trailing Juniper—Fine for partial shade and rockeries, strong plants, \$2.00;						
extra heavy, \$2.00.						
Juniperus Sabina tamarisifolia—Strong plants, \$1.50—Bright green foliage of prostrate habit.						
Does well in partial shade.  Juniperus sinensis argentea variegata—Variegated						
foliage Chinese Juniper, very compact and sym-	1.00	2.50	3.00			
metrical	1.00	2.00	5.00			
strong plants, \$1.00.  Juniper suecica—Swedish Juniper. A fast grow-						
ing columnar shape variety; bluish-green foliage	1.00	$\frac{1.25}{1.50}$	$\frac{1.75}{2.00}$	$\frac{2.50}{2.50}$	$\frac{3.50}{3.50}$	$\frac{5.00}{6.00}$
Juniperus virginiana—Red Color		1.00	2.00			
be large; does not become unsightly with age  Juniperus pfitzeriana—A new variety, which prom-				3.00	5.00	8.00
ises to be one of the best—Fine feathery green	1.50	1.75	2.50	3.00	6.00	
Picea pungens Kosteriana—Koster's Blue Spruce	1.00	1.50	2.50	4.00	7.00	
Picea excelsa—Norway Spruce		1.00	1.50	2.00		
press. A beautiful plant of drooping habit—very	1.00	1.50	1.75	2.25	1.00	0.00
Retinospora filifera aurea—A golden variety of the			1.10	2.20	4.00	6.00
above, but does not grow to be very large	2.00	2.50				
ety, which attains considerable height;	1.25	2.00	3.00	4.00	6.00	7.50
fast grower and a very desirable conifer 1.00  Retinospora pisifera aurea—The same as						7.50
the above, except of a golden cast 1.00  Retinosporo plumosa—Same as Pisifera.	1.25	2.00	3.00	4.00	6.00	7.50
Retinosporo plumosa—Same as Pisifera, except the foliage is somewhat finer and more plume like	1.25	2.00	3.00	4.00	6.00	7.50
Retinospora plumosa aurea—Golden form						
of the above	1.25	2.00	3.00	4.00	6.00	7.50
silver blue; very fine and feathery.  Does well in partial shade	1.25	2.00	3.00	4.00	6.00	7.50
Thuya siberica—Siberian Arbor Vitae—Bluish-green color; compact growth,						
medium grower	1.25	1.50	1.75	2.00	3.00	
growing variety of Arborvitae plain green	.75	1.00	1.25	1.50	2.00	3.00
Thuya occidentalis globosa—Globe-shaped Arbor Vitae. Dwarf grower	1.50	2.00				
Thuya occidentalis Hoveyi—A medium	2.50	2.00				
growing variety with a round top; very similar to globosa, except taller grower .50	.75	1.25	2.00	2.50	5.00	

### CONIFEROUS EVERGREENS

			•									
Thuya occidentalis Lobbi—Largest grow- er of its class, attains considerable	1 ft.	1-1 ½	1 1/2 - 2	2-2 ½	2 ½ -3	3-4	4-5					
height	.50	.75	1.00	1.25	2.50	4.00	7.50					
al Arbor Vitae—A symmetrical plain												
green Arborvitae, growing to consider- able height	.50	75	1.00	1 9 5	2.50	4.00						
Tsuga Canadensis—Hemlock Spruce	1.00		3.00		6.00	4.00						
VINES												
Ampelopsis Veithchi—Boston Ivy A deciduous vire suitable for covering stone an	d byi		a	2	year s	size §	.50					
Bignonia grandiflora—Trumpet Vine  A comparatively new variety with large orange				2	year s	size	.50					
Clematis paniculata—Japanese Clematis				2	year s	ize	.50					
Fire feathery white flowers in summer and fall.  Clematis Jackmani—Purple clematis  A rather dwarf growirg vine with dark purple s	ingle	flowers		2	year s	size	.50					
Euonymous radicans—Climbing Euonymous				2	year s	size	.50					
Euonymous radicans variegata—Variegated Climbing Same as the above, except that it has variegated	Euor	nymous					.50 the					
above.  Gelsemium sempervirens—Carolina Yellow Jasmine				2	year s	size	.50					
The native Yellow Jasmine of the South.  Hedera helix—English Ivy				2	year s	size	.50					
Suitable for covering brick, rock, etc.; too well Lonicera japonica aureo-reticulata—Golden Leaf Hone						ize	.50					
A beautiful honeysuckle with golden foliage; very	y attra	active	for cov	ering	slopes	and o	ther					
Lonicera sempervirens-Trumpet or Coral Honeysuck	<le< td=""><td></td><td></td><td>2</td><td>year s</td><td>ize</td><td>.50</td></le<>			2	year s	ize	.50					
Woodbine. Wisteria Chiensis				2	year s	ize	.50					
Chinese Purple Wisteria. Flowers appear before Wisteria chiensis alba—White Wisteria						ize	.50					
A white flowering form of the above. Wisteria frutescens—American Wisteria				9	WOON C	ino	.50					
A purple flowering variety of rapid growth; flower	ers app	pear w	ith the	foliag	e in la	ate sp	ring.					
Wisteria multijuga—Japanese Wisteria	fore t	he foli	age.	2	year s	ize	.50					
ROSES  We are able to supply the best varieties of both				erpetu	al Ros	es, bu	t at					
the time this price list goes to press, we are unable Field Grown Plants	to giv	e a con	nplete	list of	the v	arietie	s.					
rieid Grown Flants		••••••				100	eacn					

# HOGANSVILLE NURSERIES

#### HOGANSVILLE, GEORGIA

VISITORS WELCOME ANY DAY EXCEPT SUNDAY—COME TO SEE US. WE ARE RIGHT ON THE ATLANTA-MONTGOMERY HIGHWAY

#### FRUIT TREES, SHRUBS AND PLANTS

Do not overlook the fact that we grow large quantities of Apple, Peach, Pear, Plum, Pecan, and other fruit trees, as well as Raspberries. Dewberries, Blackberries, Strawberries and other small fruits, and you may include in your order any of these items, which you may desire, feeling sure that your needs will be cared for in the best possible manner.

If you haven't our price list of fruit trees and plants, a copy will be sent you for the asking,